South Asian Journal of Social Studies and Economics

1(3): 1-8, 2018; Article no.SAJSSE.41721



# Gross Margin and Factor Analysis of Watermelon Production in Patuakhali District, Bangladesh

Bishwajit Sarker<sup>1\*</sup>, Shankar Majumder<sup>2</sup>, Sheikh Mohammad Sayem<sup>2</sup> and Md. Shaikh Farid<sup>1</sup>

> <sup>1</sup>Sylhet Agricultural University, Sylhet, Bangladesh. <sup>2</sup>Bangladesh Agricultural University, Mymensingh, Bangladesh.

### Authors' contributions

The work has been carried out from author BS master's thesis and collaboration with supervisor author SM and co- supervisor author SMS. Author BS designed the study, performed the descriptive statistical analysis wrote the protocol and wrote the first draft of the manuscript. Authors SM, SMS and MSF managed the other analyses of the study. All authors managed the literature searches, edited the manuscript, read and approved the final manuscript.

### Article Information

DOI: 10.9734/SAJSSE/2018/v1i325792 <u>Editor(s)</u>: (1) Turgut Tursoy, Associate Professor, Department of Banking & Finance, Faculty of Economics & Administrative Sciences, Near East University, Turkey. <u>Reviewers:</u> (1) Abdulhameed Girei, Nasarawa State University, Nigeria. (2) Shmatkovska Tetiana Oleksandrivna, Lesya Ukrainka Eastern European National University, Ukraine. (3) Pradeep Mishra, Jawaharlal Nehru Krishi Vishwa Vidyalaya, India. Complete Peer review History: <u>http://prh.sdiarticle3.com/review-history/25102</u>

Original Research Article

Received 21<sup>st</sup> March 2018 Accepted 8<sup>th</sup> June 2018 Published 12<sup>th</sup> June 2018

# ABSTRACT

This study examined the Gross margin and factor productivity of watermelon production in Patuakhali district, Bangladesh. A multi-stage stratified sampling design had been used for the selection of the watermelon growing farmers. Data were obtained with the aid of a pre-tested structured questionnaire. The socio-economic characteristics of the respondents was described and categorized by Descriptive statistics, Gross margin analysis was used to analyze the cost and returns to watermelon production and Cobb Douglas production function was used to evaluate the input factor productivity. Results showed that the farmers are relatively middle-aged with an average age of 41 years with a sizable number of the respondents (1.7%) having passed through tertiary education. It was also observed that the farmers are typically smallholders with an average farm size of 50-249 decimal. The result of the gross margin analysis showed that watermelon production is profitable with a gross margin of Tk 756 per decimal. The result of the Cobb Douglas production function shows that the coefficients of cost of seed (0.137), cost of tillage (0.227), cost

of irrigation (0.304), cost of labour (0.156), and cost of pesticide (0.305) were positively significant at 5% and 1%. The overall factor productivity index is 1.19 implying an increasing return to scale in water melon production in the study area. However, lack of irrigation facility and pesticide were identified as major production constraints.

Keywords: Factor productivity; gross margin; cobb douglas function; smallholders; return to scale.

### **1. INTRODUCTION**

One of the common characteristics of developing countries is the large share of agriculture in their economies [1]. Being an underdeveloped country, Bangladesh is facing numerous economic problems. Agriculture is the main source of livelihoods of the rural people, which consists of 75.4% of the total population in Bangladesh, and agriculture contributes 21,10% of the GDP [2]. The economic development of Bangladesh is still synonymous with Agricultural development. There can hardly be any rural or national development in neither Bangladesh nor can there be any significant reduction of poverty without a significant development in the agriculture sector. All efforts will, therefore, be geared to provide the thrust necessary for boosting agricultural production. So the overall economic development depends on the proper development of our agricultural sector to a great extent.

Watermelon is a warm season crop that is cultivated worldwide because of its numerous nutritional benefits. It thrives very well in most well-drained soils whether clayey or sandy but preferably sandy loams. Although China is reported to be the current world largest producer of the commodity, [3] watermelons are generally believed to have originated from Africa.

Like many other parts of the world, in Bangladesh, watermelon is highly relished as a fresh fruit because of its thirst-quenching attribute in addition to many other identified nutritional values and advantages. It contains 90 per cent water and it is very useful fruit during summer season to fulfill the demand of water. It bears vitamin A, B, C and minerals [4]. Therefore, in the recent times, the consumption of the commodity has witnessed remarkable development as it cuts across all socioeconomic classes. The potentials of watermelon as a cashgenerating crop is significant for farmers especially those residing near the urban areas. Watermelon is grown more or less all over the country, but some districts of this country are more prominent than others. According to [5] the

most important districts covered by a high acreage of watermelon are Patuakhali, Feni, Jhinaidah, Faridpur, Chittagang and Barisal. The present study is conducted on Patuakhali district. The district is selected due to highest coverage of cultivated land under watermelon among all other districts. About 13,368 hectares of land in seven upazilas of Patuakhali district has been brought under watermelon cultivation in 2015 [6]. Sandy loams of coastal islands of this district are suitable for watermelon cultivation. The district's total production may cross six lakh tonnes. Land of Rangabali, Galachipa and Kalapara upazilas are large areas of watermelon fields and very suitable for watermelon cultivation due to soil, weather condition and availability of irrigation water.

The primary objectives of every producer include satisfaction. profit the maximization of maximization, cost minimization or combination of all these [7]. However, a typical entrepreneur in the farm – firm sector is commonly assumed the objective of profit maximization subject to resource constraints. Beyond the point where the resource adds just as much to his revenue as it adds to its cost, a profit-maximizing entrepreneur will not use a given resource because this might lead to a loss. However, by using more of the resource below such a point the farmer can increase profit. In general, when the value of marginal product of each resource equals its price, resources are said to be efficiently allocated.

This study specifically examined the costs and returns and efficiency of resource use in watermelon production in Patuakhali district to serve as a guide to prospective investors on watermelon production investment decisions.

The broad objective of this study is to examine the costs and returns of farmers associated with Watermelon production in Patuakhali District, Bangladesh.

The specific objectives are to:

1. Highlight the socio –economic characteristics of the farmers growing melon;

- 2. Determine the costs and returns to watermelon production;
- 3. To evaluate the input factor productivity;
- 4. Highlight the constraints faced by farmers in melon production.

### 2. METHODOLOGY

### 2.1 The Study Area

Considering the intensity of watermelon production coverage among different districts of Bangladesh, the study has chosen Patuakhali district largely due to its sandy soils nature of the coastal islands. Patuakhali district is the largest watermelon growing region, both in acreage and output over the last few years [5]. Patuakhali a coastal district, a sub-division of Barisal district Region which is situated at the fringe of the Bay of Bengal. It is bounded on the north by Barisal district, on the east by Bhola district, on the south by the Bay of Bengal and on the west by Barguna. It lies between 21° 48' and 22° 36 north latitudes and between 90° 08 and 90° 41 east longitudes. The total area of the district is 3221.31 sq. km and 768.11 sq. km is under forest. Annual average temperature - maximum 33.3°C, minimum 12.1°C and rainfall 2506 mm.

### 2.2 Sampling Technique

A multi-stage stratified sampling design has been used for the selection of the watermelon growing farmers. In this study, Patuakhali district is specially chosen due to the production intensity of watermelon coverage among different districts of Bangladesh. Then three upazilas are selected from the district by using simple random sampling (SRS) technique. After selecting the upazilas, one union from each selected upazila is selected randomly using SRS technique. Then, two villages from each union are selected by same technique. Finally, 30 watermelon growing farmers from each village are selected using multistage stratified sampling technique with equal allocation. The ultimate sample size is 180 respondents from which primary data were




Fig. 1. Map of the study area

obtained through the administration of a pre tested structured questionnaire. Information was collected on the respondents' socioeconomic characteristics such as age, education level, farm size, farming experience, production cost and revenue in water melon production etc.

# 2.3 Analytical Techniques

Descriptive statistics (frequencies, percentages, mean and standard deviation) were used to describe and categorize the socioeconomic characteristics of the respondents. The Gross Margin was analyzed through the difference between total revenue and total variable costs while in input factor analysis in watermelon production the Cobb Douglas function was used. The choice was based on widely acknowledged fitness of Cobb Douglas to agricultural production [8,9,10,11] and also the distribution of analyzed data was appropriate in log-log function.

### 2.4 Gross Margin Analysis

The costs and returns to water melon production were estimated using the gross margin analysis as follows;

GM = TR-TVC [12,13,14]

Where:

- GM = Gross margin in Tk/decimal
- TR = Total revenue in Tk/decimal (i.e Unit Price x Quantity)
- TVC = Total variable cost in Tk/decimal
- TR = Total Revenue = Price x Quantity i.e. PQ

### 2.5 Cobb Douglas Function

The Cobb Douglas function used in the factor analysis in watermelon production in the study area is specified in the logarithmic form as:

InYi = In  $\beta_0$  + β1InX1 +β2InX2 +β3InX3 +β4InX4 +β<sub>5</sub>InX5 +β6InX6+ εi [15]

Where;

Y = Gross return, measured in Tk/decimal X<sub>1</sub> = Cost of Seed, measured in Tk/decimal X<sub>2</sub> = Cost of Tillage, measured in Tk/decimal X<sub>3</sub> = Cost of Irrigation, measured in Tk/decimal X<sub>4</sub> = Cost of Labour, measured in Tk/decimal X<sub>5</sub> = Cost of Pesticide, measured in Tk/decimal  $X_6$  = Cost of Fertilizer, measured in Tk/decimal  $\beta$  = constant

 $\epsilon_i$  = Error terms.

These variables were expected to positively influence gross returns from watermelon in the study area.

### 3. RESULTS AND DISCUSSION

# 3.1 Socio - Economic Characteristics of the Respondents

The socio economics characteristics of the respondents are presented in Table 1.

From Table 1, the average age of the sampled farmers is 41 years with a standard deviation of 10.19. It means that the farmer who were physically strong were involved in watermelon production. A total of 136 respondents representing 75.6% had primary education and 41 respondents representing 22.7% had secondary education. Only 2 respondents accounting for 1.7% had tertiary education; highest rate of educated farmer was at primary level, that is, most of the farmers had primary knowledge of education who cultivates watermelon. A one-fourth per cent (45 respondents) of the sampled farmers have participated in agricultural training organized by different Government organizations and Non-Government organizations. This shows that there is a need for improved training facility in the study area to assist the farmers in modern and improved agricultural practices.

The average farm size of the respondents is 173.73 decimal with a standard deviation of 154.711. Majority of the farmers (representing 73.9%) cultivated between 50 and 249 decimal while only 3 respondents, representing 1.7% cultivated above 750 decimal. This shows that watermelon production in the study area is practiced mainly by small-scale farmers. About 75 per cent of the farmers under study have reported that they received extension services from their relatives and other experienced persons during watermelon production. Some of the information received includes; on pesticide, insecticide, plant diseases and input prices. This is expected to increase both resource use efficiency and productivity of the farmers. The average years of water melon production experience was 4.5 years. This further indicated that water melon production is relatively a new enterprise in the study area.

Characteristics	Frequency	Percentage	Mean	SD
Age group (years)	21	11.7	40.73	10.19
<30	138	76.6		
30-50	21	11.7		
>50				
Educational qualification				
Never been to School	01	0.6		
Primary school	136	75.6		
Secondary	41	22.7		
Tertiary	2	1.1		
Extension service				
Yes	135	75.0		
No	45	25.0		
Farm size (Decimal)				
5-49	18	10.0	173.77	154.71
50-249	133	73.9		
250-750	26	14.4		
750 and above	03	1.7		
Formal training in watermelon				
production				
Yes	45	25.0		
No	135	75.0		
Mode of land ownership				
Own land	37	20.6		
Rented	143	79.4		
Watermelon farming experience				
<6	87	48.3	4.51	2.24
6-8	28	15.6		
>8	65	36.1		

### Table 1. Socioeconomic characteristics of the respondents

Source: Field survey, 2016

# 3.2 Gross Margin Analysis of Water Melon Production per Decimal

### Table 2. Gross margin analysis of water melon production

The result of gross margin analysis associated with water melon production in the study area is presented in Table 2.

From Table 2 the farmers recorded an average yield of watermelon was 13 pieces per decimal. Gross return from watermelon production was Tk 1495. The total variable cost (TVC) amounted to Tk 538.757. This indicates that watermelon production is profitable in the study area with a gross margin of Tk 956.243 per decimal.

### 3.3 Factor Productivity in Watermelon Production

The result of the Cobb Douglas production function used in evaluating the input factor productivity in water melon production in the study area is as presented in Table 3.

Items	Value
A. Gross benefit Tk/ decimal	
1. Average Yield / decimal	13 piece
2. Average Price Tk / Piece	115
<ol><li>Gross Benefit Tk /</li></ol>	1495
decimal (1 x 2)	
B. variable Input cost	
Tk/decimal	
1. Seed	86.359
2. Tillage	80.896
3. Irrigation	64.181
4. Labour	176.743
5. Pesticide	51.091
6. Fertilizer	79.484
7. Total variable cost	538.757
8. C. Gross margin Tk/decimal	956.243
(A-B)	

Source: Data analysis, 2016

From Table 3 the coefficients of costs of; seed, illage, irrigation, labour, and pesticide are all positive indicating that any increase in the cost of these factors through employment of more of these resources will increase the gross revenue in watermelon production in the study area. However, it was the coefficients of cost of irrigation and cost of pesticide values of 0.304 and 0.305 were significant at 1%. This indicates that if the cost of irrigation is increased by 1%, as indication of more irrigation, the gross revenue in watermelon production will be increased by about 0.30% and if the cost of pesticide is increased by 1% by use of more pesticide to control pest and diseases, the gross revenue in watermelon production will increase by about 0.30%.

The sum of factor coefficients was 1.19. This is above unity, which implied that there was increasing return to scale in water melon production in the study area. Therefore, the farmers can still continue to employ more of the productive resources, especially irrigation and pesticide which have significant positive relationship with the gross margin. The coefficient of multiple determinations ( $\mathbb{R}^2$ ) was 0.818. This implies that the explanatory variables used in the model specification accounted for about 82% of variation in gross margin of the watermelon farmers. The F-value was observed to be 129.635 and highly significant at 1%. All these points to the fitness of the model used.

. . .

### 3.4 Constraints to Water Melon Production

Constraints to watermelon production in the study area are as shown in Table 4.

All the farmers sampled had the primary objective of profit maximization. This is as a result of the fact that melon is mainly not consumed but serves also as soil protector. Table 4 explains the limiting factors of water melon production in the study area. From Table 4, lack of irrigation facility ranked first among the constraints. The result shows that credit is one of the constraints to melon production. Since the respondents are smallscale farmers, they have low capital base and therefore cannot afford the high cost of inputs According to the respondents, formal institution does not normally give credit to melon farmers. This may possibly be because watermelon is considered not to be popularly grown and given adequate recognition. This result also more or similar as [16]. The problem of less inaccessibility of the farmers to the modern inputs such as fertilizer, improved seeds, and machineries because of high costing, hence they made use of the traditional tools which limit their output and farm size. Damage by disease, pest, and insecticides was also another cause of limiting their output Source: Field survey, 2016.

Factor inputs	Coefficients	t – values
Seed	0.137	1.960**
Tillage	0.227	3.239***
Irrigation	0.304	4.352***
Labour	0.156	2.765***
Pesticide	0.305	3.737***
Fertilizer	0.064	1.291
Return to scale	1.19	
R <sup>2</sup>	.818	
F- value	129.635***	
Number of observation	180	

# Table 3. Summary of regression results

Source: Data analysis, 2016, \*\*\* Significant at 1%, \*\*Significant at 5%

Table 4. Distribution of	f the respondents	by the proble	ems encountered	during production
--------------------------	-------------------	---------------	-----------------	-------------------

Problems encountered	Frequency	Percentage
Lack of Credit facility	45	25.00
Lack of Irrigation facility	52	28.89
Cost of inputs	41	22.78
Damage by disease, pest, insecticides	42	23.33
Total	180	

Source: Field survey, 2016

### 4. CONCLUSION

This study has shown that in the study area watermelon production is profitable. Also, the study revealed the cost of seed: cost of tillage. cost of irrigation, cost of labour, and cost of pesticide have positive productivity coefficients indicating that any increase in the use of these variable inputs will increase the gross revenue of the farmers. The overall factor coefficient is 1.19 implying an increasing return to scale in water melon production in the study area. Therefore, the farmers could still employ more of the resources with positive factor productivity to increase their gross margin. Watermelon production potential in terms of yield and quality of the production has not been fully exploited. Consequently, there is still deficit supply of watermelon in the country. This could be adduced to the inaccessibility of the farmers to the appropriate modern technology (fertilizer and improved seeds), needed machineries, lack of credit facilities, high cost of inputs and lack of irrigation facilities. It is therefore imperative for individual, cooperative bodies, government and non-governmental organization to assist the farmers in these areas of weakness, in order to boost watermelon production in Bangladesh.

### **5. RECOMMENDATION**

The broad focus areas to improve watermelon productivity are pointed out as below:

Based on the result from the findings, the following policy recommendations are suggested:

- Micro credit has influential effect on the farmer's efficiency. Farmers who have access to micro-credit can purchase inputs at right time and low price. In the present study, a few farmers have received this facility. So, institutional credit should be made more flexible for the watermelon producers as well as the interest rate for credit should reasonably be low.
- 2. Training has exerted a significant impact on increasing the farmer's technical efficiency. A few farmers have participated in farming related training. In this aspect, government can emphasize on the training programmes through the department of agricultural extension (DAE) especially for watermelon growers. To develop interest among the farmers to participate in training sessions, some incentives might be taken such as quality input supply at cheap rate, short-term

credit facility, etc. Both government and non-government organizations may take initiatives to provide training to the farmers on the different aspects of watermelon production;

 Farmers should be encouraged to keep farm records of their activities through the help of the extension services of DAE, which should try to extend its services to the majority

### **COMPETING INTERESTS**

Authors have declared that no competing interests exist.

### REFERENCES

- 1. Boyce JK. Agricultural growth in Bangladesh, 1949/50 to 1980/81; A Review of the Evidence Economic and Political Weekly.1985;20:13.
- BBS. Statistical Pocketbook Bangladesh 2011. (Dhaka: Bangladesh Bureau of Statistics; 2011.
- Huh YC, Solmaz I, Sari N. Morphological characterization of Korean and Turkish watermelon germplasm. 1 Cucurbitaceae. 2008. Proceedings of the 9th EUCARPIA meeting on genetics and breeding of Cucurbitaceae (Pitrat M. Ed.), INRA, Avignon, France. 2008;21-24.
- Rabbany MG, Rahman A, Afrin S, Hoque F, Islam F. Cost of production of watermelon and profitability at Gopalgonj district in Bangladesh. European journal of Banking and Finace. 2013;10:236-241.
- BBS. Štatistical Pocketbook Bangladesh 2014. (Dhaka: Bangladesh Bureau of Statistics; 2014.
- 6. DAE. Department of Agricultural Extension, Patuakhali, Bangladesh.2015
- Olayide SO, Heady EO. Introduction to agricultural production economics. First Ed. Ibadan University Press, Ibadan, Nigeria; 1982.
- Barman SC, Khan Chaudhury MA. Farm size and resource use efficiency in wheat production: Evidence from a micro – level study. Bangladesh J.Agric. Res. 2000;25 (2):29-358.
- Barman SC, Islam R, MD I Hossain. Resource use efficiency at farm level potato production in two selected areas of Bangladesh. Bangladesh. J. Agric. Res. 2002;27(3):485-495.
- 10. Onyenweaku CE, JC Nwaru. Application of a stochastic frontier production function to

the measurement of technical efficiency in food crop production in Imo state, Nigeria. Nig. Agric. J. 2005;36:1-12.

- Ogbonna MC, Anyaegbunam HN, Madu TU, Ogbonna RA. Income and factor analysis of sweet potato landrace production in Ikom agricultural zone of Cross River State, Nigeria. Journal of Development and Agricultural Economics. 2009;1(6):132-136.
- Mohammed BT. Socio-economic analysis of melon production in Ifelodun Local Government Area, Kwara State, Nigeria. Journal of Development and Agricultural Economics. 2011;3(8):362-367.
- Shehu Folaranmi Gbolahan Yusuf, Francois S. Lategan, Idris A. Ayinde profitability and adoption of watermelon

technologies by farmers in Moro Local Government of Kwara State, Nigeria. Journal of Agricultural Science. 2013;5(5).

- Brodrick O. Awerije and Sanzidur Rahman profitability and efficiency of cassava production at the farm-level in Delta State, Nigeria. International Journal of Agricultural Management. 2011;3(4).
- Oladele Charles Ajewole. Income and Factor analysis of watermelon production in Ekiti State, Nigeria. Journal of Economics and Sustainable Development. 2015;6(2):67-72.
- Adojutelegan OT, Adereti FO, Makanju TS, Olorunfemi OD. Analysis of factors affecting watermelon production in Ekiti State, Nigeria Science, Technology and Arts Research Journal. 2015;4(2):324-329

© 2018 Sarker et al.; This is an Open Access article distributed under the terms of the Creative Commons Attribution License (http://creativecommons.org/licenses/by/4.0), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Peer-review history: The peer review history for this paper can be accessed here: http://prh.sdiarticle3.com/review-history/25102